ID NO: 135	COSHH ASSESSMENT RECORD	DOWSE
SUBSTANCE	TOOL CLEANER	
IDENTIFICATION	A colourless Flammable liquid with an aromatic	odour.
PROCESS/OR USE	Tool cleaner	
RISKS TO HEALTH	Harmful by inhalation. May cause birth defects	
CAN THE EXPOSURE BE ELIMINATED NO Details specified below		
FIRST AID MEASURES SKIN: Remove contaminated clothing. Wash affected area with water EYE: Flush with copious amounts of water for 15 Minutes& seek medical help INHALATION: Remove from exposure. Rest & keep warm seek medical help INGESTION: Obtain immediate medical attention. DO NOT INDUCE VOMITING remove to fresh air COPY MUST BE SENT WITH INJURED PARTY TO HOSPITAL		
	FIRE FIGHTING MEASURES (Tick Box)	
	MATER	
DANGEROUS FOR THE ENVIRONMENT	SPILLAGE & ENVIRONMENTAL DETAILS Do not allow into drains or water courses. Absorb into inert material, place In a suitable container and dispose of in conformity with local regulations. Clean the spill area with water and detergent. Prevent contamination of soil, drains or surface water.	
	EXPOSURE LIMITS (EH 40) Ethoxyethyl Acetate	
coshi	Maximum Exposure Limit (MEL) Occupatio	of People Exposed: onal Exposure Standard (OES) WA 123mg/m³ e STEL
PPE		
(Tick Box)		\checkmark \checkmark \checkmark
CONTROL MEASURES	Wear correct PPE Avoid inhaling vapour. Use in well ventilated areas Avoid skin and eye contact Store in well ventilated, cool dry area and away Avoid ignition sources	Operatives
Do not eat drink or smoke in work areaOperativesAssessment By: Assistant Risk Manager Date: March 02 Review Date: March 04 (maximum 5 years)		