Establishment: Dowse Premises	General storage		
	Assessment by: Paul Mansfield	No.31	
Date: 14-8-2015		Review Date: 14-12-2015	



Hazard / Risk	Who is at Risk?	Normal Control Measures (Brief description and/or reference to source of information).	Additional Control Measures (to take account of local/individual circumstances).	Risk Rating H/M/L
Cleaner/caretaker storage areas Access to potentially hazardous equipment/ materials		 Hazardous substances to be stored according to guidance in COSHH assessment and/or Material Safety Data Sheet provided by supplier Substances to be in original container with clear labels and hazard warnings – no decanting Restricted access. Store to be locked except when in use Switch rooms and boiler rooms kept clear of storage and locked when not in use 		
Flammable substances / fire, explosion		 Flammable substances to be stored in a purpose-made, lockable fire-resisting cabinet, labelled with hazard warnings Minimise amount stored and used. Lids to be kept on containers No smoking or other sources of ignition permitted in areas where flammable vapours may be present Dispose of flammable waste including contaminated cloths etc. safely 		

Falling objects Not secured, poorly installed. Sited too high /overloaded	 Shelving etc. properly installed, secure fixings in place Shelves not overloaded Storage to be organised with heavy objects at lower levels Restricted access to pupils. Provision of access equipment nearby or in place. Controlled limits of items stored.
/ Falls, strains	 Appropriate steps, kick stools etc provided to reach high shelves Store frequently used items at easily accessible locations Store heavy items on lower levels, preferably at about waist height to reduce risk of manual handling injuries
Cleanliness/tidiness Fire Tripping Struck by falling object	Rubbish is regularly removed. Recycling bins provided and used.

REVIEWS:		
REVIEWED BY:	COMMENTS:	
REVIEWED BY:	COMMENTS:	
REVIEWED BY:	COMMENTS:	